

UTTAM 30-JAJ37 JUJ3E SCREEN





UTTAM SIX ROLLER MILLS




Ptationary DSM Screens (of 1.0/0.7 mm bar space) are not fully capable of separating fine bagasse from mixed cane juice. Presence of bagacillo in juice creates several problems. Incrustation in calendria tubes; problems with filteration of muddy juice; colouring of juice by yellow pigment saccharetin ... are some of the common problems faced by using DSM Screens.

The UTTAM R&D CELL has designed a special ROTARY SCREEN which overcomes all these problems. Designed with Australian know-how, this Rotary Screen rotates at 10-12 r.p.m. and has a fine S.S. 304 Wedge Wire Screen with 0.5 mm bar space.

This fine screen successfully segregates bagacillo which is fed-back to the mill through chutes. Allowing the juice to be taken for further processing.

Uttam's Rotary Screens result in faster and better screening; which in turn improves sugar recovery. The Rotary Screen also enables easier maintenance leading to a cleaner and better maintained plant.

Uttam's Rotary Screens are available in various sizes and are capable of handling crushing capacities in excess of 10,000 TCD.



SPECIAL FEATURES:

- 1. Designed as a single screening system hence occupies lesser working area.
- 2. Reduces Bagacillo content in screened juice, to 2-3 gms. per litre as compared to 7-11 gms. per litre for DSM Screens.
- 3. Fine separation leads to improved juice clarification, improving sugar colour.
- 4. Dramatic increase in sugar recovery.
- 5. Quality of the sugar recovered is very high.
- 6. Screen is automatically cleaned by vapour/water washing, preventing blockages.
- 7. Screw conveyor can be eliminated from mill depending on layout.
- 8. Lower consumption of lime & other chemicals in clarification.
- 9. Needs lesser and simpler maintenance and lesser power requirement.
- 10. Leads to cleaner mill areas.
- 11. Pay-back within one crushing season.



UTTAM GROUP'S CAPABILITIES ENCOMPASS A WIDE RANGE OF ACTIVITIES, SERVICES AND PRODUCTS FOR SUGAR FACTORIES FROM 2,500 TCD TO EVEN 20,000 TCD CAPACITY.

- Total project execution on turnkey basis
 Conveying systems
- Cane preparation systems
 Cane sugar mill feeding devices
- Cane milling systems
 Complete boiling houses
 Centrifugal stations
 Boilers and co-generation plants.

UTTAM'S FULLY-EQUIPPED R&D CELL HAS INDEPENDENTLY AND INDIGENOUSLY DEVELOPED SEVERAL NEW PRODUCTS FOR THE SUGAR INDUSTRY. THESE INCLUDE:

- Continuous Centrifugal Machines Hydraulic Cane Unloaders
- Return Bagasse Feeders
 Cane Juice Clarifiers
 Continuous Vacuum Pans
 Fluidized Bed Sugar Driers
 Vacuum Filters

UTTAM HAS ALSO INTRODUCED, WITH AUSTRALIAN KNOW-HOW:
• Rotary Screens

IN TECHNICAL COLLABORATION WITH A. GONINAN, AUSTRALIA, UTTAM MANUFACTURES:

- A Comprehensive Range of Cane Mills, from 33"x 66" upto 55"x 110".
- It has also installed India's Largest Cane Mill (45" x 90") at Hari Nagar, which is giving trouble-free performance.

UTTAM GROUP COMPANIES:

* UTTAM INDUSTRIAL ENGINEERING LTD. * UTTAM SUCROTECH LIMITED * LIPI BOILERS LIMITED * UTTAM CAR WASH P. LTD.

Designed, Manufactured & Marketed by:

UTTAM SUCROTECH LIMITED

C-42, 43, Meerut Road Industrial Area, Ghaziabad - 201 003. India. Tel.: 0575-713210, 713211. Fax: (+91) 0575-714201.